

Data Sheet

DTH-1152

10.1-inch
Pen & Touch
Display



WACOM® for Business

DTH-1152

*Compact, durable
electronic document
handling*











Product Overview

The DTH-1152 provides both pen and touch input in a compact pen display for convenience when reviewing, annotating and applying electronic signatures to digital documents. Users can write, draw, annotate, and sign electronic documents directly on screen. The 10.1" Full HD LCD screen has a hardened surface that provides outstanding durability and a paper-like feel. The built-in HDMI video interface also enables the DTH-1152 to be integrated seamlessly into VDI/RDS and Linux systems.












Key Features & Benefits

- **Optimal user comfort** with the 10.1" color Full HD LCD panel that allows easy document viewing and signing, drawing and annotating directly on the screen
- **Intuitive input** with multi-touch functionality for easy navigation and support for common gestures
- **Outstanding durability via the** scratch-resistant hardened cover glass that provides easier viewing in different lighting conditions and a paper-like feel
- **Flexible installation** via the HDMI video interface that allows seamless integration into any system including Citrix, VMware or Linux, and support for VCP (Virtual Com Port) connection for use in legacy VDI/RDS environments
- **Enhanced stability** with cable protection that prevents accidental disconnections
- **Convenient usage** with landscape and portrait mode, and built-in VESA mounting holes also provide mounting options and the use of third-party stands









General Specifications

	Dimensions (W x H x D, excluding stand)	11.0 x 8.3 x 0.6 inches / 280 x 210 x 16 mm
	Weight (including stand)	2.1 lbs / 960 g
	Stand inclination	15° integrated stand
	Power supply	AC 100 ~ 240 V, 50/60 Hz
	Power consumption	10 W (full loading), Power Save mode: 0.5 W or lower, Power OFF mode: 0.5 W or lower
	Communication interface	USB 2.0
	Programmable buttons	NA
	Supported operating systems	Windows 10 / 8.1 / 7 (32-bit, 64-bit) Mac OSX 10.11 or later







LCD Screen

	LCD Panel Type	AHVA
	Touch Input	Yes
	Cover glass surface	Tempered AG etched glass
	Aspect ratio	16:9
	Native resolution	1920 x 1080 pixels
	Video input	HDMI
	Viewing angles (horizontal/vertical)	170° / 170°
	Colours	16.7M colors
	Luminance (brightness)	0.13 cd/in ² / 200 cd/m ² (typical)
	Contrast ratio	1000:1 (typical)
	Response time	N/A

Tablet and Pen

	Technology	Electromagnetic Resonance (EMR)
	Screen dimensions	10.1" diagonal (8.8 x 5.0 inches / 223 x 126 mm)
	Coordinate resolution	2540 lpi
	Coordinate accuracy	±0.02 inches / ±0.5 mm (center)
	Report rate	200 points per second
	Pressure levels	1024
	Encryption	AES 256 / RSA 2048
	Reading height	0.2 inches / 5 mm (center)


Miscellaneous

	Pen storage	Integrated pen compartment, pen stand
	Security lock slot	Yes, Kensington
	Mounting system	VESA 2.95 inches / 75 mm
	Signature software compatibility	Compatible with signature / eSign software and Wacom sign pro PDF; C++, .NET and Java SDK/API available for developers
	Drivers	Wacom driver required,, SDK/API available for developers
	Package content	DTH-1152, Pen, Pen tether, Extra pen nibs Nib removal tool, 3-in-1 cable, AC power adapter, Power cable, Quick Start Guide, IPI

Energy efficiency class and information for COMMISSION REGULATION (EU) 2019/2013



More human



More digital



Japan (HQ)

For more information please contact:
Wacom Co., Ltd. · Sumitomo Fudosan Shinjuku Grand Tower 31F, 35F,
8-17-1 Nishi-Shinjuku, Shinjuku-ku, Tokyo 160-6131, Japan
vm-info@wacom.co.jp · 03-5337-6706



Americas

For more information please contact / Pour de plus amples informations,
veuillez contacter / Para obtener información adicional, póngase en contacto
con: Wacom Technology Corporation · 1455 NW Irving Street, Suite 800 |
Portland, OR 97209 USA
esign@wacom.com · 1-503-525-3100



Europe, Middle East and Africa

For more information please contact / Pour de plus amples informations,
veuillez contacter / Para obtener información adicional, póngase en contacto
con: Wacom Europe GmbH · Zollhof 11-15, 40221 Düsseldorf, Germany
solutions@wacom.eu · +49 211 385 48 0



China

For more information please contact:
Wacom China Corporation · 518, West Wing Office, China World Trade Center,
No. 1 Jianguomenwai Avenue, Chaoyang District, Beijing 100004, China
e-signature@wacom.com · 400-810-5460

Hong Kong

For more information please contact:
Wacom Hong Kong Ltd. · Unit 1610, 16/F, Exchange Tower, 33 Wang Chiu Road
Kowloon Bay, Hong Kong
e-signature@wacom.com · +852 2573 9322



Australia

For more information please contact:
Wacom Australia Pty. Ltd. · Ground floor, Building 1, 3 Richardson Place,
North Ryde, NSW, 2113, Australia
Contactapbs@Wacom.com · +61 2 9422 6730

Korea

For more information please contact:
Wacom Korea Co., Ltd. · Rm #1211, 12F, KGIT Sangam Center, 402 Worldcup
Bukro, Mapo-gu, Seoul 03925, Korea
Contactapbs@Wacom.com · 080-800-1231

Singapore

For more information please contact:
Wacom Singapore Pte. Ltd. · 5 Temasek Boulevard, #12-09, Suntec Tower Five,
Singapore 038985, Contactapbs@Wacom.com · (503) 525-3100

India

For more information please contact:
Wacom India Pvt. Ltd. · 426, Tower B, DLF Building Jasola District Centre,
Mathura Road, New Delhi 110025 India, Contactapbs@Wacom.com
Customer Support: 000-800-100-4159, +91-11-47239412



INFORMATIČKE TEHNOLOGIJE I USLUGE

Božidarevićeva 13,
10000 Zagreb, Republika Hrvatska
tel. (01) 2337 731
e-mail: prodaja@finder.hr
www.finder.hr

wacom.com/for-business

© 2021 Wacom Co., Ltd.